

# Brain Tumor Protocol List

March 2021

Ependymoma treatment protocols			
Study	Clinical trial name	Phase/type	Age
<b>Indoximod GCC1949</b>	GCC1949: Phase 2 trial of indoximod with chemotherapy and radiation for children with progressive brain tumors or newly diagnosed DIPG <a href="https://clinicaltrials.gov/ct2/show/NCT04049669">https://clinicaltrials.gov/ct2/show/NCT04049669</a>	II	>3 to <22 yr
<b>AflacST1502 CHOANOME II</b>	AflacST1502: A Phase II Study of Sirolimus in Combination with Metronomic Chemo-therapy in Children with Recurrent and/or Refractory Solid and CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02574728">https://clinicaltrials.gov/ct2/show/NCT02574728</a>	II	>12 mo to ≤30 yr
<b>COG ADVL1823</b>	ADVL1823, Larotrectinib (LOXO-101, NSC# 788607, IND# 141824) for Previously Untreated TRK Fusion Pediatric Solid Tumors and TRK Fusion Relapsed Pediatric Acute Leukemias <a href="https://clinicaltrials.gov/ct2/show/NCT03834961">https://clinicaltrials.gov/ct2/show/NCT03834961</a>	II	≤30 yr
<b>COG APEC1621A<sup>REQ</sup></b>	APEC1621A: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of LOXO-101 (Larotrectinib) in Patients with Tumors Harboring Actionable NTRK Fusions <a href="https://clinicaltrials.gov/ct2/show/NCT03213704">https://clinicaltrials.gov/ct2/show/NCT03213704</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621B<sup>REQ</sup></b>	APEC1621B: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of JNJ-42756493 (Erdafitinib) in Patients with Relapsed Pediatric Solid Tumors Harboring FGFR1/2/3/4 Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03210714">https://clinicaltrials.gov/ct2/show/NCT03210714</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621C<sup>REQ</sup></b>	APEC1621C: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of Tazemetostat in Patients with Tumors Harboring Alterations in EZH2 or Members of the SWI/SNF Complex <a href="https://clinicaltrials.gov/ct2/show/NCT03213665">https://clinicaltrials.gov/ct2/show/NCT03213665</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621D<sup>REQ</sup></b>	APEC1621D NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of LY3023414 in Patients with Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03213678">https://clinicaltrials.gov/ct2/show/NCT03213678</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621F<sup>REQ</sup></b>	APEC1621F NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Ensartinib in Patients with Tumors Harboring ALK or ROS1 Genomic Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03213652">https://clinicaltrials.gov/ct2/show/NCT03213652</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621G<sup>REQ</sup></b>	APEC1621G NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Vemurafenib in Patients with Tumors Harboring Actionable BRAF V600 Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03220035">https://clinicaltrials.gov/ct2/show/NCT03220035</a>	II	≥12 mo to ≤21 yr

<b>COG APEC1621H<sup>REQ</sup></b>	APEC1621H NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Olaparib in Patients with Tumors Harboring Defects in DNA Damage Repair Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03233204">https://clinicaltrials.gov/ct2/show/NCT03233204</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621I<sup>REQ</sup></b>	APEC1621I NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Palbociclib in Patients with Tumors Harboring Activating Alterations in Cell Cycle Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03526250">https://clinicaltrials.gov/ct2/show/NCT03526250</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621J<sup>REQ</sup></b>	APEC1621J NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of BVD-523FB (Ulixertinib) in Patients with Tumors Harboring Activating MAPK Pathway Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03698994">https://clinicaltrials.gov/ct2/show/NCT03698994</a>	II	≥12 mo to ≤21 yr
<b>Ignya RXDX-101-03</b>	A Phase 1/1b, Open-Label, Dose-Escalation and Expansion Study of Entrectinib (RXDX-101) in Children and Adolescents with Recurrent or Refractory Solid Tumors and Primary CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02650401">https://clinicaltrials.gov/ct2/show/NCT02650401</a>	I/Ib	≥2 to <22 yr
<b>LOXO-EXT-17005</b>	LOXO-EXT-17005: A Phase 1/2 Study of the TRK Inhibitor LOXO-195 in Adult and Pediatric Subjects with Previously Treated NTRK Fusion Cancers <a href="https://clinicaltrials.gov/ct2/show/NCT02650401">https://clinicaltrials.gov/ct2/show/NCT02650401</a>	I/II	≥1 mo
<b>AflacST1501</b>	Aflac ST1501, A Phase I Study of Abemaciclib in Children with Newly Diagnosed Diffuse Intrinsic Pontine Glioma and in Children with Recurrent and Refractory Solid Tumors Including Malignant Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02644460">https://clinicaltrials.gov/ct2/show/NCT02644460</a>	I	≥2 to ≤25 yr
<b>PBTC-045</b>	PBTC-045: A Safety and Preliminary Efficacy trial of MK-3475 (pembrolizumab; anti-PD-1) in Children with Recurrent, Progressive or Refractory Diffuse Intrinsic Pontine Glioma (DIPG), Non-brainstem High-grade Gliomas (NB-HGG), Ependymoma, Medulloblastoma and Hypermutated Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02359565">https://clinicaltrials.gov/ct2/show/NCT02359565</a>	I	≥1 to ≤18 yr
<b>PBTC-048</b>	PBTC-048: Feasibility Trial of Optune for Children with Recurrent or Progressive Supratentorial High-grade Glioma and Ependymoma	I	≥5 to ≤21 yr
<b>PBTC-051</b>	Phase I Study to Evaluate the Safety and Tolerability of the CD40 Agonistic Monoclonal Antibody APX005M in Pediatric Subjects with Recurrent/ Refractory Brain Tumors and Newly Diagnosed Brain Stem Glioma <a href="https://clinicaltrials.gov/ct2/show/NCT03389802">https://clinicaltrials.gov/ct2/show/NCT03389802</a>	I	≥1 to ≤21 yr

<b>COG ADVL1615</b>	ADVL1615, A Phase 1 Study of Pevonedistat (MLN4924 IND# 136078), a NEDD8 Activating Enzyme (NAE) Inhibitor, in Combination with Temozolomide and Irinotecan in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03323034">https://clinicaltrials.gov/ct2/show/NCT03323034</a>	I	<u>Part A1:</u> ≥12 mo to ≤21 yr <u>Part A2:</u> ≥6 mo to <12 mo
<b>COG ADVL1921</b>	Phase 1 Study to Evaluate the Safety and Pharmacokinetics of Palbociclib (Ibrance®) in Combination with Irinotecan and Temozolomide in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03709680">https://clinicaltrials.gov/ct2/show/NCT03709680</a>	I	≥2 to <21 yr
<b>Ependymoma supportive treatment and non-therapeutic protocols</b>			
<b>Study</b>	<b>Clinical trial name</b>	<b>Phase/type</b>	<b>Age</b>
<b>AflacPM1702</b>	Aflac Precision Medicine Program (APMP) Study	Non-therapeutic	<30 yr
<b>COG APEC14B1</b>	APEC14B1: The Project:Everychild Protocol: A Registry, Eligibility Screening, Biology and Outcome Study <a href="https://clinicaltrials.gov/ct2/show/NCT02402244">https://clinicaltrials.gov/ct2/show/NCT02402244</a>	Non-therapeutic	≤25 yr
<b>COG APEC1621SC</b>	APEC1621SC: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) Screening Protocol <a href="https://clinicaltrials.gov/ct3/show/NCT03155620">https://clinicaltrials.gov/ct3/show/NCT03155620</a>	NA	≥12 mo to ≤21 yr
<b>COG ALTE03N1</b>	Key Adverse Events after Childhood Cancer (cardiac, stroke, secondary malignancy/closed to AVN patients as of 11-26-08) <a href="https://clinicaltrials.gov/ct2/show/NCT00082745">https://clinicaltrials.gov/ct2/show/NCT00082745</a>	Non-therapeutic	≤21 yr at dx
<b>COG ALTE05N1</b>	Umbrella Long-Term Follow-Up Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT00736749">https://clinicaltrials.gov/ct2/show/NCT00736749</a>	Non-therapeutic	All ages
<b>QOL Targeted Tx Brain Tumors</b>	Health-related Quality of Life Outcomes during Molecularly Targeted Therapy for the Treatment of High Risk Pediatric Brain Tumors	Non-therapeutic	≤21 yr
<b>Telehealth Home-based Transition</b>	Development and Pilot of a Telehealth Home-based Transition Intervention for Pediatric and Young Adults with Cancer	Non-therapeutic	≤29 yr
<b>Germ cell tumor treatment protocols</b>			
<b>Study</b>	<b>Clinical trial name</b>	<b>Phase/type</b>	<b>Age</b>
<b>Indoximod GCC1949</b>	GCC1949: Phase 2 trial of indoximod with chemotherapy and radiation for children with progressive brain tumors or newly diagnosed DIPG <a href="https://clinicaltrials.gov/ct2/show/NCT04049669">https://clinicaltrials.gov/ct2/show/NCT04049669</a>	II	>3 to <22 yr
<b>COG ADVL1823</b>	ADVL1823, Larotrectinib (LOXO-101, NSC# 788607, IND# 141824) for Previously Untreated TRK Fusion Pediatric Solid Tumors and TRK Fusion Relapsed Pediatric Acute Leukemias <a href="https://clinicaltrials.gov/ct2/show/NCT03834961">https://clinicaltrials.gov/ct2/show/NCT03834961</a>	II	≤30 yr

<b>COG APEC1621A<sup>REQ</sup></b>	APEC1621A: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of LOXO-101 (Larotrectinib) in Patients with Tumors Harboring Actionable NTRK Fusions <a href="https://clinicaltrials.gov/ct2/show/NCT03213704">https://clinicaltrials.gov/ct2/show/NCT03213704</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621B<sup>REQ</sup></b>	APEC1621B: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of JNJ-42756493 (Erdafitinib) in Patients with Relapsed Pediatric Solid Tumors Harboring FGFR1/2/3/4 Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03210714">https://clinicaltrials.gov/ct2/show/NCT03210714</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621C<sup>REQ</sup></b>	APEC1621C: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of Tazemetostat in Patients with Tumors Harboring Alterations in EZH2 or Members of the SWI/SNF Complex <a href="https://clinicaltrials.gov/ct2/show/NCT03213665">https://clinicaltrials.gov/ct2/show/NCT03213665</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621D<sup>REQ</sup></b>	APEC1621D NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of LY3023414 in Patients with Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03213678">https://clinicaltrials.gov/ct2/show/NCT03213678</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621F<sup>REQ</sup></b>	APEC1621F NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Ensartinib in Patients with Tumors Harboring ALK or ROS1 Genomic Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03213652">https://clinicaltrials.gov/ct2/show/NCT03213652</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621G<sup>REQ</sup></b>	APEC1621G NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Vemurafenib in Patients with Tumors Harboring Actionable BRAF V600 <a href="https://clinicaltrials.gov/ct2/show/NCT03220035">https://clinicaltrials.gov/ct2/show/NCT03220035</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621H<sup>REQ</sup></b>	APEC1621H NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Olaparib in Patients with Tumors Harboring Defects in DNA Damage Repair Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03233204">https://clinicaltrials.gov/ct2/show/NCT03233204</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621I<sup>REQ</sup></b>	APEC1621I NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Palbociclib in Patients with Tumors Harboring Activating Alterations in Cell Cycle Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03526250">https://clinicaltrials.gov/ct2/show/NCT03526250</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621J<sup>REQ</sup></b>	APEC1621J NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of BVD-523FB (Ulixertinib) in Patients with Tumors Harboring Activating MAPK Pathway Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03698994">https://clinicaltrials.gov/ct2/show/NCT03698994</a>	II	≥12 mo to ≤21 yr
<b>Ignyta RXDX-101-03</b>	A Phase 1/1b, Open-Label, Dose-Escalation and Expansion Study of Entrectinib (RXDX-101) in Children and Adolescents with Recurrent or Refractory Solid Tumors and Primary CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02650401">https://clinicaltrials.gov/ct2/show/NCT02650401</a>	I/1b	≥2 to <22 yr

<b>LOXO-EXT-17005</b>	LOXO-EXT-17005: A Phase 1/2 Study of the TRK Inhibitor LOXO-195 in Adult and Pediatric Subjects with Previously Treated NTRK Fusion Cancers <a href="https://clinicaltrials.gov/ct2/show/NCT03215511">https://clinicaltrials.gov/ct2/show/NCT03215511</a>	I/II	≥1 mo
<b>COG ADVL1514</b>	ADVL1514, A Phase 1 Study of ABI-009 (Nab-Rapamycin) (IND# 133537) in Pediatric Patients with Recurrent or Refractory Solid Tumors, Including CNS Tumors as a Single Agent and in Combination with Temozolomide and Irinotecan <a href="https://clinicaltrials.gov/ct2/show/NCT02975882">https://clinicaltrials.gov/ct2/show/NCT02975882</a>	I	≥12 mo to ≤21 yr
<b>COG ADVL1615</b>	ADVL1615, A Phase 1 Study of Pevonedistat (MLN4924 IND# 136078), a NEDD8 Activating Enzyme (NAE) Inhibitor, in Combination with Temozolomide and Irinotecan in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03323034">https://clinicaltrials.gov/ct2/show/NCT03323034</a>	I	Part A1: ≥12 mo to ≤21 yr Part A2: ≥6 mo to <12 mo
<b>COG ADVL1921</b>	Phase 1 Study to Evaluate the Safety and Pharmacokinetics of Palbociclib (Ibrance®) in Combination with Irinotecan and Temozolomide in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03709680">https://clinicaltrials.gov/ct2/show/NCT03709680</a>	I	≥2 to <21 yr
<b>AflacST1501</b>	Aflac ST1501, A Phase I Study of Abemaciclib in Children with Newly Diagnosed Diffuse Intrinsic Pontine Glioma and in Children with Recurrent and Refractory Solid Tumors Including Malignant Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02644460">https://clinicaltrials.gov/ct2/show/NCT02644460</a>	I	≥2 to ≤25 yr
<b>PBTC-051</b>	Phase I Study to Evaluate the Safety and Tolerability of the CD40 Agonistic Monoclonal Antibody APX005M in Pediatric Subjects with Recurrent/ Refractory Brain Tumors and Newly Diagnosed Brain Stem Glioma <a href="https://clinicaltrials.gov/ct2/show/NCT03389802">https://clinicaltrials.gov/ct2/show/NCT03389802</a>	I	≥1 to ≤21 yr
<b>Germ cell supportive treatment and non-therapeutic protocols</b>			
<b>Study</b>	<b>Clinical trial name</b>	<b>Phase/type</b>	<b>Age</b>
<b>AflacPM1702</b>	Aflac Precision Medicine Program (APMP) Study	Non-therapeutic	<30 yr
<b>COG APEC14B1</b>	APEC14B1: The Project:Everychild Protocol: A Registry, Eligibility Screening, Biology and Outcome Study <a href="https://clinicaltrials.gov/ct2/show/NCT02402244">https://clinicaltrials.gov/ct2/show/NCT02402244</a>	Non-therapeutic	≤25 yr
<b>APEC1621SC</b>	APEC1621SC: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) Screening Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT03155620">https://clinicaltrials.gov/ct2/show/NCT03155620</a>	NA	≥12 mo to ≤21 yr
<b>COG ALTE03N1</b>	Key Adverse Events after Childhood Cancer (cardiac/stroke/secondary malig)/closed to AVN patients as of 11-26-08 <a href="https://clinicaltrials.gov/ct2/show/NCT00082745">https://clinicaltrials.gov/ct2/show/NCT00082745</a>	Non-therapeutic	≤21 yr at dx

<b>COG ALTE05N1</b>	Umbrella Long-Term Follow-Up Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT00736749">https://clinicaltrials.gov/ct2/show/NCT00736749</a>	Non-therapeutic	All ages
<b>QOL Targeted Tx Brain Tumors</b>	Health-related Quality of Life Outcomes during Molecularly Targeted Therapy for the Treatment of High-Risk Pediatric Brain Tumors	Non-therapeutic	≤21 yr
<b>Telehealth Home-based Transition</b>	Development and Pilot of a Telehealth Home-based Transition Intervention for Pediatric and Young Adults with Cancer	Non-therapeutic	≤29 yr
<b>Low-grade glioma treatment protocols</b>			
<b>Study</b>	<b>Clinical trial name</b>	<b>Phase/type</b>	<b>Age</b>
<b>COG ACNS1831</b>	ACNS1831: A Phase 3 Randomized Study of Selumetinib (IND # 77782) versus Carboplatin/ Vincristine in Newly Diagnosed or Previously Untreated Neurofibromatosis Type 1 (NF1) Associated Low-Grade Glioma (LGG) <a href="https://clinicaltrials.gov/ct2/show/NCT03871257">https://clinicaltrials.gov/ct2/show/NCT03871257</a>	III	≥2 to ≤21 yr
<b>COG ACNS1833</b>	ACNS1833: A Phase 3 Randomized Non-Inferiority Study of Carboplatin and Vincristine versus Selumetinib (NSC# 748727, IND# 77782) in Newly Diagnosed or Previously Untreated Low-Grade Glioma (LGG) not associated with BRAFV600E Mutations or Systemic Neurofibromatosis Type 1 (NF1) <a href="https://clinicaltrials.gov/ct2/show/NCT04166409">https://clinicaltrials.gov/ct2/show/NCT04166409</a>	III	≥2 to ≤21 yr
<b>Indoximod GCC1949</b>	GCC1949: Phase 2 trial of indoximod with chemotherapy and radiation for children with progressive brain tumors or newly diagnosed DIPG <a href="https://clinicaltrials.gov/ct2/show/NCT04049669">https://clinicaltrials.gov/ct2/show/NCT04049669</a>	II	>3 to <22 yr
<b>AflacST1502 CHOANOME II</b>	AflacST1502: A Phase II Study of Sirolimus in Combination with Metronomic Chemo-therapy in Children with Recurrent and/or Refractory Solid and CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02574728">https://clinicaltrials.gov/ct2/show/NCT02574728</a>	II	>12 mo to ≤30 yr
<b>OZM-063</b>	A Phase II, Open-labeled, Multi-center, Randomized Controlled Trial of Vinblastine +/- Bevacizumab for the Treatment of Chemotherapy-naïve Children with Unresectable or Progressive Low Grade Glioma	II	6 mo to <18 yr
<b>COG ADVL1823</b>	ADVL1823, Larotrectinib (LOXO-101, NSC# 788607, IND# 141824) for Previously Untreated TRK Fusion Pediatric Solid Tumors and TRK Fusion Relapsed Pediatric Acute Leukemias <a href="https://clinicaltrials.gov/ct2/show/NCT03834961">https://clinicaltrials.gov/ct2/show/NCT03834961</a>	II	≤30 yr
<b>COG APEC1621A<sup>REQ</sup></b>	APEC1621A: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of LOXO-101 (Larotrectinib) in Patients with Tumors Harboring Actionable NTRK Fusions <a href="https://clinicaltrials.gov/ct2/show/NCT03213704">https://clinicaltrials.gov/ct2/show/NCT03213704</a>	II	≥12 mo to ≤21 yr

<b>COG APEC1621B<sup>REQ</sup></b>	APEC1621B: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of JNJ-42756493 (Erdafitinib) in Patients with Relapsed Pediatric Solid Tumors Harboring FGFR1/2/3/4 Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03210714">https://clinicaltrials.gov/ct2/show/NCT03210714</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621C<sup>REQ</sup></b>	APEC1621C: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of Tazemetostat in Patients with Tumors Harboring Alterations in EZH2 or Members of the SWI/SNF Complex <a href="https://clinicaltrials.gov/ct2/show/NCT03213665">https://clinicaltrials.gov/ct2/show/NCT03213665</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621D<sup>REQ</sup></b>	APEC1621D NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of LY3023414 in Patients with Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03213678">https://clinicaltrials.gov/ct2/show/NCT03213678</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621F<sup>REQ</sup></b>	APEC1621F NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Ensartinib in Patients with Tumors Harboring ALK or ROS1 Genomic Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03213652">https://clinicaltrials.gov/ct2/show/NCT03213652</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621G<sup>REQ</sup></b>	APEC1621G NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Vemurafenib in Patients with Tumors Harboring Actionable BRAF V600 Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03220035">https://clinicaltrials.gov/ct2/show/NCT03220035</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621H<sup>REQ</sup></b>	APEC1621H NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Olaparib in Patients with Tumors Harboring Defects in DNA Damage Repair Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03233204">https://clinicaltrials.gov/ct2/show/NCT03233204</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621I<sup>REQ</sup></b>	APEC1621I NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Palbociclib in Patients with Tumors Harboring Activating Alterations in Cell Cycle Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03526250">https://clinicaltrials.gov/ct2/show/NCT03526250</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621J<sup>REQ</sup></b>	APEC1621J NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of BVD-523FB (Ulixertinib) in Patients with Tumors Harboring Activating MAPK Pathway Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03698994">https://clinicaltrials.gov/ct2/show/NCT03698994</a>	II	≥12 mo to ≤21 yr
<b>Ignyta RXDX-101-03</b>	A Phase 1/1b, Open-Label, Dose-Escalation and Expansion Study of Entrectinib (RXDX-101) in Children and Adolescents with Recurrent or Refractory Solid Tumors and Primary CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02650401">https://clinicaltrials.gov/ct2/show/NCT02650401</a>	I/Ib	≥2 to <22 yr
<b>LOXO-EXT-17005</b>	LOXO-EXT-17005: A Phase 1/2 Study of the TRK Inhibitor LOXO-195 in Adult and Pediatric Subjects with Previously Treated NTRK Fusion Cancers <a href="https://clinicaltrials.gov/ct2/show/NCT03215511">https://clinicaltrials.gov/ct2/show/NCT03215511</a>	I/II	≥1 mo

<b>PBTC-055</b>	PBTC-055: Phase I/II Trial of Dabrafenib, Trametinib, and Hydroxychloroquine (HCQ) for BRAF V600E-mutant or Trametinib and HCQ for BRAF Fusion/Duplication Positive or NF1-associated Recurrent or Refractory Gliomas in Children and Young Adults <a href="https://clinicaltrials.gov/ct2/show/NCT04201457">https://clinicaltrials.gov/ct2/show/NCT04201457</a>	I/II	≥1 to ≤30 yr
<b>COG ADVL1514</b>	ADVL1514, A Phase 1 Study of ABI-009 (Nab-Rapamycin) (IND# 133537) in Pediatric Patients with Recurrent or Refractory Solid Tumors, Including CNS Tumors as a Single Agent and in Combination with Temozolomide and Irinotecan <a href="https://clinicaltrials.gov/ct2/show/NCT02975882">https://clinicaltrials.gov/ct2/show/NCT02975882</a>	I	≥12 mo to ≤21 yr
<b>COG ADVL1615</b>	ADVL1615, A Phase 1 Study of Pevonedistat (MLN4924 IND# 136078), a NEDD8 Activating Enzyme (NAE) Inhibitor, in Combination with Temozolomide and Irinotecan in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03323034">https://clinicaltrials.gov/ct2/show/NCT03323034</a>	I	Part A1: >12 mo to ≤21 yr Part A2: ≥6 mo to <12 mo
<b>COG ADVL1921</b>	Phase 1 Study to Evaluate the Safety and Pharmacokinetics of Palbociclib (Ibrance®) in Combination with Irinotecan and Temozolomide in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03709680">https://clinicaltrials.gov/ct2/show/NCT03709680</a>	I	≥2 to <21 yr
<b>AflacST1501</b>	Aflac ST1501, A Phase I Study of Abemaciclib in Children with Newly Diagnosed Diffuse Intrinsic Pontine Glioma and in Children with Recurrent and Refractory Solid Tumors Including Malignant Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02644460">https://clinicaltrials.gov/ct2/show/NCT02644460</a>	I	≥2 to ≤25 yr
<b>PBTC-051</b>	Phase I Study to Evaluate the Safety and Tolerability of the CD40 Agonistic Monoclonal Antibody APX005M in Pediatric Subjects with Recurrent/ Refractory Brain Tumors and Newly Diagnosed Brain Stem Glioma <a href="https://clinicaltrials.gov/ct2/show/NCT03389802">https://clinicaltrials.gov/ct2/show/NCT03389802</a>	I	≥1 to ≤21 yr



## High-grade glioma treatment protocols

Study	Clinical trial name	Phase/type	Age
<b>Indoximod GCC1949</b>	GCC1949: Phase 2 trial of indoximod with chemotherapy and radiation for children with progressive brain tumors or newly diagnosed DIPG <a href="https://clinicaltrials.gov/ct2/show/NCT04049669">https://clinicaltrials.gov/ct2/show/NCT04049669</a>	II	>3 to <22 yr
<b>PEG-Intron</b>	A Phase II Study of Pegylated Interferon ALFA-2b in Children with Recurrent or Refractory and Radiographically or Clinically Progressive Juvenile Pilocytic Astrocytomas and Optic Pathway Gliomas <a href="https://clinicaltrials.gov/ct2/show/NCT02343224">https://clinicaltrials.gov/ct2/show/NCT02343224</a>	II	>3 to <25 yr
<b>AflacST1502 CHOANOME II</b>	AflacST1502: A Phase II Study of Sirolimus in Combination with Metronomic Chemo-therapy in Children with Recurrent and/or Refractory Solid and CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02574728">https://clinicaltrials.gov/ct2/show/NCT02574728</a>	II	>12 mo to ≤30 yr
<b>COG APEC1621A<sup>REQ</sup></b>	APEC1621A: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of LOXO-101 (Larotrectinib) in Patients with Tumors Harboring Actionable NTRK Fusions <a href="https://clinicaltrials.gov/ct2/show/NCT03213704">https://clinicaltrials.gov/ct2/show/NCT03213704</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621B<sup>REQ</sup></b>	APEC1621B: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of JNJ-42756493 (Erdafitinib) in Patients with Relapsed Pediatric Solid Tumors Harboring FGFR1/2/3/4 Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03210714">https://clinicaltrials.gov/ct2/show/NCT03210714</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621C<sup>REQ</sup></b>	APEC1621C: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of Tazemetostat in Patients with Tumors Harboring Alterations in EZH2 or Members of the SWI/SNF Complex <a href="https://clinicaltrials.gov/ct2/show/NCT03213665">https://clinicaltrials.gov/ct2/show/NCT03213665</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621D<sup>REQ</sup></b>	APEC1621D NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of LY3023414 in Patients with Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03213678">https://clinicaltrials.gov/ct2/show/NCT03213678</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621F<sup>REQ</sup></b>	APEC1621F NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Ensartinib in Patients with Tumors Harboring ALK or ROS1 Genomic Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03213652">https://clinicaltrials.gov/ct2/show/NCT03213652</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621G<sup>REQ</sup></b>	APEC1621G NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Vemurafenib in Patients with Tumors Harboring Actionable BRAF V600 Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03220035">https://clinicaltrials.gov/ct2/show/NCT03220035</a>	II	≥12 mo to ≤21 yr

<b>COG APEC1621H<sup>REQ</sup></b>	APEC1621H NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Olaparib in Patients with Tumors Harboring Defects in DNA Damage Repair Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03233204">https://clinicaltrials.gov/ct2/show/NCT03233204</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621I<sup>REQ</sup></b>	APEC1621I NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Palbociclib in Patients with Tumors Harboring Activating Alterations in Cell Cycle Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03526250">https://clinicaltrials.gov/ct2/show/NCT03526250</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621J<sup>REQ</sup></b>	APEC1621J NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of BVD-523FB (Ulixertinib) in Patients with Tumors Harboring Activating MAPK Pathway Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03698994">https://clinicaltrials.gov/ct2/show/NCT03698994</a>	II	≥12 mo to ≤21 yr
<b>COG ACNS1721<sup>REQ</sup></b>	ACNS1721: A Phase 2 Study of Veliparib (ABT-888, IND# 139199) and Local Irradiation, Followed by Maintenance Veliparib and Temozolomide, in Patients with Newly Diagnosed High-Grade Glioma (HGG) without H3 K27M or BRAFV600E Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03581292">https://clinicaltrials.gov/ct2/show/NCT03581292</a>	II	≥3 to ≤25 yr
<b>COG ACNS1723<sup>REQ</sup></b>	ACNS1723, A Phase 2 Study of Dabrafenib (NSC# 763760) with Trametinib (NSC# 763093) after Local Irradiation in Newly-Diagnosed BRAFV600-Mutant High-Grade Glioma (HGG) (IND# 145355) <a href="https://clinicaltrials.gov/ct2/show/NCT03919071">https://clinicaltrials.gov/ct2/show/NCT03919071</a>	II	≥3 to ≤21 yr
<b>Ignyta RXDX-101-03</b>	A Phase 1/1b, Open-Label, Dose-Escalation and Expansion Study of Entrectinib (RXDX-101) in Children and Adolescents with Recurrent or Refractory Solid Tumors and Primary CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02650401">https://clinicaltrials.gov/ct2/show/NCT02650401</a>	I/Ib	≥2 to <22 yr
<b>LOXO-EXT-17005</b>	LOXO-EXT-17005: A Phase 1/2 Study of the TRK Inhibitor LOXO-195 in Adult and Pediatric Subjects with Previously Treated NTRK Fusion Cancers <a href="https://clinicaltrials.gov/ct2/show/NCT03215511">https://clinicaltrials.gov/ct2/show/NCT03215511</a>	I/II	≥1 mo
<b>PBTC-055</b>	PBTC-055: Phase I/II Trial of Dabrafenib, Trametinib, and Hydroxychloroquine (HCQ) for BRAF V600E-mutant or Trametinib and HCQ for BRAF Fusion/Duplication Positive or NF1-associated Recurrent or Refractory Gliomas in Children and Young Adults <a href="https://clinicaltrials.gov/ct2/show/NCT04201457">https://clinicaltrials.gov/ct2/show/NCT04201457</a>	I/II	≥1 to ≤30 yr
<b>AflacST1501</b>	Aflac ST1501, A Phase I Study of Abemaciclib in Children with Newly Diagnosed Diffuse Intrinsic Pontine Glioma and in Children with Recurrent and Refractory Solid Tumors Including Malignant Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02644460">https://clinicaltrials.gov/ct2/show/NCT02644460</a>	I	≥2 to ≤25 yr

<b>PBTC-045</b>	PBTC-045: A Safety and Preliminary Efficacy trial of MK-3475 (pembrolizumab; anti-PD-1) in Children with Recurrent, Progressive or Refractory Diffuse Intrinsic Pontine Glioma (DIPG), Non-brainstem High-grade Gliomas (NB-HGG), Ependymoma, Medullo-blastoma and Hypermutated Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02359565">https://clinicaltrials.gov/ct2/show/NCT02359565</a>	I	≥1 to ≤18 yr
<b>PBTC-048</b>	PBTC-048: Feasibility Trial of Optune for Children with Recurrent or Progressive Supratentorial High-grade Glioma and Ependymoma	I	≥5 to ≤21 yr
<b>PBTC-051</b>	Phase I Study to Evaluate the Safety and Tolerability of the CD40 Agonistic Monoclonal Antibody APX005M in Pediatric Subjects with Recurrent/ Refractory Brain Tumors and Newly Diagnosed Brain Stem Glioma <a href="https://clinicaltrials.gov/ct2/show/NCT03389802">https://clinicaltrials.gov/ct2/show/NCT03389802</a>	I	≥1 to ≤21 yr
<b>ONC014</b>	ONC201 in Newly Diagnosed Diffuse Intrinsic Pontine Glioma and Recurrent Pediatric H3 K27M Gliomas <a href="https://clinicaltrials.gov/ct2/show/NCT03416530">https://clinicaltrials.gov/ct2/show/NCT03416530</a>	I	≥2 to <19 yr
<b>COG ADVL1615</b>	ADVL1615, A Phase 1 Study of Pevonedistat (MLN4924 IND# 136078), a NEDD8 Activating Enzyme (NAE) Inhibitor, in Combination with Temozolomide and Irinotecan in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03323034">https://clinicaltrials.gov/ct2/show/NCT03323034</a>	I	<u>Part A1:</u> >12 mo to ≤21 yr <u>Part A2:</u> ≥6 mo to <12 mo
<b>COG ADVL1921</b>	Phase 1 Study to Evaluate the Safety and Pharmacokinetics of Palbociclib (Ibrance®) in Combination with Irinotecan and Temozolomide in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03709680">https://clinicaltrials.gov/ct2/show/NCT03709680</a>	I	≥2 to <21 yr
<b>Intrinsic pontine glioma treatment protocols</b>			
<b>Study</b>	<b>Clinical trial name</b>	<b>Phase/type</b>	<b>Age</b>
<b>Indoximod GCC1949</b>	GCC1949: Phase 2 trial of indoximod with chemotherapy and radiation for children with progressive brain tumors or newly diagnosed DIPG <a href="https://clinicaltrials.gov/ct2/show/NCT04049669">https://clinicaltrials.gov/ct2/show/NCT04049669</a>	II	>3 to <22 yr
<b>AflacST1502 CHOANOME II</b>	AflacST1502: A Phase II Study of Sirolimus in Combination with Metronomic Chemo-therapy in Children with Recurrent and/or Refractory Solid and CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02574728">https://clinicaltrials.gov/ct2/show/NCT02574728</a>	II	>12 mo to ≤30 yr
<b>COG ADVL1823</b>	ADVL1823, Larotrectinib (LOXO-101, NSC# 788607, IND# 141824) for Previously Untreated TRK Fusion Pediatric Solid Tumors and TRK Fusion Relapsed Pediatric Acute Leukemias <a href="https://clinicaltrials.gov/ct2/show/NCT03834961">https://clinicaltrials.gov/ct2/show/NCT03834961</a>	II	≤30 yr

<b>COG APEC1621A<sup>REQ</sup></b>	APEC1621A: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of LOXO-101 (Larotrectinib) in Patients with Tumors Harboring Actionable NTRK Fusions <a href="https://clinicaltrials.gov/ct2/show/NCT03213704">https://clinicaltrials.gov/ct2/show/NCT03213704</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621B<sup>REQ</sup></b>	APEC1621B: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of JNJ-42756493 (Erdafitinib) in Patients with Relapsed Pediatric Solid Tumors Harboring FGFR1/2/3/4 Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03210714">https://clinicaltrials.gov/ct2/show/NCT03210714</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621C<sup>REQ</sup></b>	APEC1621C: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of Tazemetostat in Patients with Tumors Harboring Alterations in EZH2 or Members of the SWI/SNF Complex <a href="https://clinicaltrials.gov/ct2/show/NCT03213665">https://clinicaltrials.gov/ct2/show/NCT03213665</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621D<sup>REQ</sup></b>	APEC1621D NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of LY3023414 in Patients with Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03213678">https://clinicaltrials.gov/ct2/show/NCT03213678</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621F<sup>REQ</sup></b>	APEC1621F NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Ensartinib in Patients with Tumors Harboring ALK or ROS1 Genomic Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03213652">https://clinicaltrials.gov/ct2/show/NCT03213652</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621G<sup>REQ</sup></b>	APEC1621G NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Vemurafenib in Patients with Tumors Harboring Actionable BRAF V600 Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03220035">https://clinicaltrials.gov/ct2/show/NCT03220035</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621H<sup>REQ</sup></b>	APEC1621H NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Olaparib in Patients with Tumors Harboring Defects in DNA Damage Repair Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03233204">https://clinicaltrials.gov/ct2/show/NCT03233204</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621I<sup>REQ</sup></b>	APEC1621I NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Palbociclib in Patients with Tumors Harboring Activating Alterations in Cell Cycle Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03526250">https://clinicaltrials.gov/ct2/show/NCT03526250</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621J<sup>REQ</sup></b>	APEC1621J NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of BVD-523FB (Ulixertinib) in Patients with Tumors Harboring Activating MAPK Pathway Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03698994">https://clinicaltrials.gov/ct2/show/NCT03698994</a>	II	≥12 mo to ≤21 yr

<b>Ignitya RXDX-101-03</b>	A Phase 1/1b, Open-Label, Dose-Escalation and Expansion Study of Entrectinib (RXDX-101) in Children and Adolescents with Recurrent or Refractory Solid Tumors and Primary CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02650401">https://clinicaltrials.gov/ct2/show/NCT02650401</a>	I/Ib	≥2 to <22 yr
<b>LOXO-EXT-17005</b>	LOXO-EXT-17005: A Phase 1/2 Study of the TRK Inhibitor LOXO-195 in Adult and Pediatric Subjects with Previously Treated NTRK Fusion Cancers <a href="https://clinicaltrials.gov/ct2/show/NCT03215511">https://clinicaltrials.gov/ct2/show/NCT03215511</a>	I/II	≥1 mo
<b>PBTC-045</b>	PBTC-045: A Safety and Preliminary Efficacy trial of MK-3475 (pembrolizumab; anti-PD-1) in Children with Recurrent, Progressive or Refractory Diffuse Intrinsic Pontine Glioma (DIPG), Non-brainstem High-grade Gliomas (NB-HGG), Ependymoma, Medullo-blastoma and Hypermutated Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02359565">https://clinicaltrials.gov/ct2/show/NCT02359565</a>	I	≥1 to ≤18 yr
<b>COG ADVL1416</b>	ADVL1416, A Phase 1 Study of Ramucirumab, a Human Monoclonal Antibody Against the Vascular Endothelial Growth Factor-2 (VEGFR-2) Receptor in Children with Refractory Solid Tumors, Including CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02564198">https://clinicaltrials.gov/ct2/show/NCT02564198</a>	I	≥12 mo to ≤21 yr
<b>COG ADVL1514</b>	ADVL1514, A Phase 1 Study of ABI-009 (Nab-Rapamycin) (IND# 133537) in Pediatric Patients with Recurrent or Refractory Solid Tumors, Including CNS Tumors as a Single Agent and in Combination with Temozolomide and Irinotecan <a href="https://clinicaltrials.gov/ct2/show/NCT02975882">https://clinicaltrials.gov/ct2/show/NCT02975882</a>	I	≥12 mo to ≤21 yr
<b>COG ADVL1615</b>	ADVL1615, A Phase 1 Study of Pevonedistat (MLN4924 IND# 136078), a NEDD8 Activating Enzyme (NAE) Inhibitor, in Combination with Temozolomide and Irinotecan in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03323034">https://clinicaltrials.gov/ct2/show/NCT03323034</a>	I	Part A1: ≥12 mo to ≤21 yr Part A2: ≥6 mo to <12 mo
<b>COG ADVL1921</b>	Phase 1 Study to Evaluate the Safety and Pharmacokinetics of Palbociclib (Ibrance®) in Combination with Irinotecan and Temozolomide in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03709680">https://clinicaltrials.gov/ct2/show/NCT03709680</a>	I	≥2 to <21 yr
<b>AflacST1501</b>	Aflac ST1501, A Phase I Study of Abemaciclib in Children with Newly Diagnosed Diffuse Intrinsic Pontine Glioma and in Children with Recurrent and Refractory Solid Tumors Including Malignant Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02644460">https://clinicaltrials.gov/ct2/show/NCT02644460</a>	I	≥2 to ≤25 yr
<b>ONC014</b>	ONC201 in Newly Diagnosed Diffuse Intrinsic Pontine Glioma and Recurrent Pediatric H3 K27M Gliomas <a href="https://clinicaltrials.gov/ct2/show/NCT03416530">https://clinicaltrials.gov/ct2/show/NCT03416530</a>	I	≥2 to <19 yr

<b>PBTC-051</b>	Phase I Study to Evaluate the Safety and Tolerability of the CD40 Agonistic Monoclonal Antibody APX005M in Pediatric Subjects with Recurrent/ Refractory Brain Tumors and Newly Diagnosed Brain Stem Glioma <a href="https://clinicaltrials.gov/ct2/show/NCT03389802">https://clinicaltrials.gov/ct2/show/NCT03389802</a>	I	≥1 to ≤21 yr
<b>Glioma supportive treatment and non-therapeutic protocols</b>			
<b>Study</b>	<b>Clinical trial name</b>	<b>Phase/type</b>	<b>Age</b>
<b>AflacPM1702</b>	Aflac Precision Medicine Program (APMP) Study	Non-therapeutic	<30 yr
<b>COG APEC14B1</b>	APEC14B1: The Project:Everychild Protocol: A Registry, Eligibility Screening, Biology and Outcome Study <a href="https://clinicaltrials.gov/ct2/show/NCT02402244">https://clinicaltrials.gov/ct2/show/NCT02402244</a>	Non-therapeutic	≤25 yr
<b>APEC1621SC</b>	APEC1621SC: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) Screening Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT03155620">https://clinicaltrials.gov/ct2/show/NCT03155620</a>	NA	≥12 mo to ≤21 yr
<b>COG ALTE03N1</b>	Key Adverse Events after Childhood Cancer (cardiac,stroke,secondary malign)/ closed to AVN patients as of 11-26-08 <a href="https://clinicaltrials.gov/ct2/show/NCT00082745">https://clinicaltrials.gov/ct2/show/NCT00082745</a>	Non-therapeutic	≤21 yr at dx
<b>COG ALTE05N1</b>	Umbrella Long-Term Follow-Up Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT00736749">https://clinicaltrials.gov/ct2/show/NCT00736749</a>	Non-therapeutic	All ages
<b>QOL Targeted Tx Brain Tumors</b>	Health-related Quality of Life Outcomes during Molecularly Targeted Therapy for the Treatment of High Risk Pediatric Brain Tumors	Non-therapeutic	≤21 yr
<b>NF1 Frameshift</b>	Frameshift Peptides of Children with Neurofibromatosis Type 1 (NF1) and either Low-grade Gliomas or Plexiform Neurofibromas <a href="https://clinicaltrials.gov/ct2/show/NCT04212351">https://clinicaltrials.gov/ct2/show/NCT04212351</a>	Non-therapeutic	≥1 day to ≤30 yr
<b>Telehealth Home-based Transition</b>	Development and Pilot of a Telehealth Home-based Transition Intervention for Pediatric and Young Adults with Cancer	Non-therapeutic	≤29 yr
<b>Medulloblastoma/PNET treatment protocols</b>			
<b>Study</b>	<b>Clinical trial name</b>	<b>Phase/type</b>	<b>Age</b>
<b>HEAD START 4</b>	HEAD START 4 PROTOCOL: Newly Diagnosed Children (Less Than 10 Years Old) With Medulloblastoma And Other Central Nervous System Embryonal Tumors. Clinical And Molecular Risk-Tailored Intensive And Compressed Induction Chemotherapy Followed By Consolidation With Randomization To Either Single-Cycle Or To Three Tandem Cycles Of Marrow-Ablative Chemotherapy With Autologous Hematopoietic Progenitor Cell Rescue <a href="https://clinicaltrials.gov/ct2/show/NCT02875314">https://clinicaltrials.gov/ct2/show/NCT02875314</a>	IV	<10 yr
<b>Indoximod GCC1949</b>	GCC1949: Phase 2 trial of indoximod with chemotherapy and radiation for children with progressive brain tumors or newly diagnosed DIPG <a href="https://clinicaltrials.gov/ct2/show/NCT04049669">https://clinicaltrials.gov/ct2/show/NCT04049669</a>	II	>3 to <22 yr

<b>AflacST1502 CHOANOME II</b>	AflacST1502: A Phase II Study of Sirolimus in Combination with Metronomic Chemo-therapy in Children with Recurrent and/or Refractory Solid and CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02574728">https://clinicaltrials.gov/ct2/show/NCT02574728</a>	II	>12 mo to ≤30 yr
<b>COG ACNS1422<sup>REQ</sup></b>	ACNS1422: A Phase 2 Study of Reduced Therapy for Newly Diagnosed Average-Risk WNT-driven Medulloblastoma Patients <a href="https://clinicaltrials.gov/ct2/show/NCT02724579">https://clinicaltrials.gov/ct2/show/NCT02724579</a>	II	≥3 yr to <22 yr
<b>COG ADVL1823</b>	ADVL1823, Larotrectinib (LOXO-101, NSC# 788607, IND# 141824) for Previously Untreated TRK Fusion Pediatric Solid Tumors and TRK Fusion Relapsed Pediatric Acute Leukemias <a href="https://clinicaltrials.gov/ct2/show/NCT03834961">https://clinicaltrials.gov/ct2/show/NCT03834961</a>	II	≤30 yr
<b>COG APEC1621A<sup>REQ</sup></b>	APEC1621A: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of LOXO-101 (Larotrectinib) in Patients with Tumors Harboring Actionable NTRK Fusions <a href="https://clinicaltrials.gov/ct2/show/NCT03213704">https://clinicaltrials.gov/ct2/show/NCT03213704</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621B<sup>REQ</sup></b>	APEC1621B: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of JNJ-42756493 (Erdafitinib) in Patients with Relapsed Pediatric Solid Tumors Harboring FGFR1/2/3/4 Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03210714">https://clinicaltrials.gov/ct2/show/NCT03210714</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621C<sup>REQ</sup></b>	APEC1621C: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of Tazemetostat in Patients with Tumors Harboring Alterations in EZH2 or Members of the SWI/SNF Complex <a href="https://clinicaltrials.gov/ct2/show/NCT03213665">https://clinicaltrials.gov/ct2/show/NCT03213665</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621D<sup>REQ</sup></b>	APEC1621D NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of LY3023414 in Patients with Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03213678">https://clinicaltrials.gov/ct2/show/NCT03213678</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621F<sup>REQ</sup></b>	APEC1621F NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Ensartinib in Patients with Tumors Harboring ALK or ROS1 Genomic Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03213652">https://clinicaltrials.gov/ct2/show/NCT03213652</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621G<sup>REQ</sup></b>	APEC1621G NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Vemurafenib in Patients with Tumors Harboring Actionable BRAF V600 Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03220035">https://clinicaltrials.gov/ct2/show/NCT03220035</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621H<sup>REQ</sup></b>	APEC1621H NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Olaparib in Patients with Tumors Harboring Defects in DNA Damage Repair Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03233204">https://clinicaltrials.gov/ct2/show/NCT03233204</a>	II	≥12 mo to ≤21 yr

<b>COG APEC1621I<sup>REQ</sup></b>	APEC1621I NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Palbociclib in Patients with Tumors Harboring Activating Alterations in Cell Cycle Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03526250">https://clinicaltrials.gov/ct2/show/NCT03526250</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621J<sup>REQ</sup></b>	APEC1621J NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of BVD-523FB (Ulixertinib) in Patients with Tumors Harboring Activating MAPK Pathway Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03698994">https://clinicaltrials.gov/ct2/show/NCT03698994</a>	II	≥12 mo to ≤21 yr
<b>Ignya RXDX-101-03</b>	A Phase 1/1b, Open-Label, Dose-Escalation and Expansion Study of Entrectinib (RXDX-101) in Children and Adolescents with Recurrent or Refractory Solid Tumors and Primary CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02650401">https://clinicaltrials.gov/ct2/show/NCT02650401</a>	I/Ib	≥2 to <22 yr
<b>PBTC-053</b>	A Pediatric Brain Tumor Consortium Phase I/II and Surgical Study of CX-4945 in Patients with Recurrent SHH Medulloblastoma <a href="https://clinicaltrials.gov/ct2/show/NCT03904862">https://clinicaltrials.gov/ct2/show/NCT03904862</a>	I/II	≥3 to ≤18 yr
<b>LOXO-EXT-17005</b>	LOXO-EXT-17005: A Phase 1/2 Study of the TRK Inhibitor LOXO-195 in Adult and Pediatric Subjects with Previously Treated NTRK Fusion Cancers <a href="https://clinicaltrials.gov/ct2/show/NCT03215511">https://clinicaltrials.gov/ct2/show/NCT03215511</a>	I/II	≥1 mo
<b>COG ADVL1514</b>	ADVL1514, A Phase 1 Study of ABI-009 (Nab-Rapamycin) (IND# 133537) in Pediatric Patients with Recurrent or Refractory Solid Tumors, Including CNS Tumors as a Single Agent and in Combination with Temozolomide and Irinotecan <a href="https://clinicaltrials.gov/ct2/show/NCT02975882">https://clinicaltrials.gov/ct2/show/NCT02975882</a>	I	≥12 mo to ≤21 yr
<b>COG ADVL1615</b>	ADVL1615, A Phase 1 Study of Pevonedistat (MLN4924 IND# 136078), a NEDD8 Activating Enzyme (NAE) Inhibitor, in Combination with Temozolomide and Irinotecan in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03323034">https://clinicaltrials.gov/ct2/show/NCT03323034</a>	I	<u>Part A1:</u> ≥12 mo to ≤21 yr <u>Part A2:</u> ≥6 mo to <12 mo
<b>COG ADVL1921</b>	Phase 1 Study to Evaluate the Safety and Pharmacokinetics of Palbociclib (Ibrance®) in Combination with Irinotecan and Temozolomide in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03709680">https://clinicaltrials.gov/ct2/show/NCT03709680</a>	I	≥2 to <21 yr
<b>AflacST1501</b>	Aflac ST1501, A Phase I Study of Abemaciclib in Children with Newly Diagnosed Diffuse Intrinsic Pontine Glioma and in Children with Recurrent and Refractory Solid Tumors Including Malignant Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02644460">https://clinicaltrials.gov/ct2/show/NCT02644460</a>	I	≥2 to ≤25 yr
<b>PBTC-045</b>	PBTC-045: A Safety and Preliminary Efficacy trial of MK-3475 (pembrolizumab; anti-PD-1) in Children with	I	≥1 to ≤18 yr



	Recurrent, Progressive or Refractory Diffuse Intrinsic Pontine Glioma (DIPG), Non-brainstem High-grade Gliomas (NB-HGG), Ependymoma, Medullo-blastoma and Hypermutated Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02359565">https://clinicaltrials.gov/ct2/show/NCT02359565</a>		
<b>PBTC-051</b>	Phase I Study to Evaluate the Safety and Tolerability of the CD40 Agonistic Monoclonal Antibody APX005M in Pediatric Subjects with Recurrent/ Refractory Brain Tumors and Newly Diagnosed Brain Stem Glioma <a href="https://clinicaltrials.gov/ct2/show/NCT03389802">https://clinicaltrials.gov/ct2/show/NCT03389802</a>	I	$\geq 1$ to $\leq 21$ yr
<b>Medulloblastoma supportive treatment and non-therapeutic protocols</b>			
<b>Study</b>	<b>Clinical trial name</b>	<b>Phase/type</b>	<b>Age</b>
<b>AflacPM1702</b>	Aflac Precision Medicine Program (APMP) Study	Non-therapeutic	<30 yr
<b>COG APEC14B1</b>	APEC14B1: The Project:Everychild Protocol: A Registry, Eligibility Screening, Biology and Outcome Study <a href="https://clinicaltrials.gov/ct2/show/NCT02402244">https://clinicaltrials.gov/ct2/show/NCT02402244</a>	Non-therapeutic	$\leq 25$ yr
<b>APEC1621SC</b>	APEC1621SC: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) Screening Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT03155620">https://clinicaltrials.gov/ct2/show/NCT03155620</a>	NA	$\geq 12$ mo to $\leq 21$ yr
<b>COG ALTE03N1</b>	Key Adverse Events after Childhood Cancer (cardiac, stroke, secondary malignancy) closed to AVN patients as of 11-26-08 <a href="https://clinicaltrials.gov/ct2/show/NCT00082745">https://clinicaltrials.gov/ct2/show/NCT00082745</a>	Non-therapeutic	$\leq 21$ yr at dx
<b>COG ALTE05N1</b>	Umbrella Long-Term Follow-Up Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT00736749">https://clinicaltrials.gov/ct2/show/NCT00736749</a>	Non-therapeutic	All ages
<b>COG ALTE07C1</b>	Neuropsychological, Social, Emotional and Behavioral Outcomes in Children with Cancer	Non-therapeutic	3 to <22 yr
<b>QOL Targeted Tx Brain Tumors</b>	Health-related Quality of Life Outcomes during Molecularly Targeted Therapy for the Treatment of High-Risk Pediatric Brain Tumors	Non-therapeutic	$\leq 21$ yr
<b>CTCCs for MB</b>	Circulating Tumor Cell Clusters as a Novel Biomarker for Medulloblastoma Treatment (CTCCs for MB)	Biology	$\leq 21$ yr
<b>Telehealth Home-based Transition</b>	Development and Pilot of a Telehealth Home-based Transition Intervention for Pediatric and Young Adults with Cancer	Non-therapeutic	$\leq 29$ yr

**Other brain tumor treatment protocols (includes atypical teratoid/rhabdoid tumors, optic pathway, pilocytic astrocytoma)**

Study	Clinical trial name	Phase/type	Age
<b>Indoximod GCC1949</b>	GCC1949: Phase 2 trial of indoximod with chemotherapy and radiation for children with progressive brain tumors or newly diagnosed DIPG <a href="https://clinicaltrials.gov/ct2/show/NCT04049669">https://clinicaltrials.gov/ct2/show/NCT04049669</a>	II	>3 to <22 yr
<b>AflacST1502 CHOANOME II</b>	AflacST1502: A Phase II Study of Sirolimus in Combination with Metronomic Chemo-therapy in Children with Recurrent and/or Refractory Solid and CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02574728">https://clinicaltrials.gov/ct2/show/NCT02574728</a>	II	>12 mo to ≤30 yr
<b>SJATRT</b>	Phase 2 Study of Alisertib as a Single Agent in Recurrent or Progressive Central Nervous System (CNS) Atypical Teratoid Rhabdoid Tumors (AT/RT) and Extra-CNS Malignant Rhabdoid Tumors (MRT) and in Combination Therapy in Newly Diagnosed AT/RT (SJATRT)	II	<22 yr
<b>COG ADVL1823</b>	ADVL1823, Larotrectinib (LOXO-101, NSC# 788607, IND# 141824) for Previously Untreated TRK Fusion Pediatric Solid Tumors and TRK Fusion Relapsed Pediatric Acute Leukemias <a href="https://clinicaltrials.gov/ct2/show/NCT03834961">https://clinicaltrials.gov/ct2/show/NCT03834961</a>	II	≤30 yr
<b>COG APEC1621A<sup>REQ</sup></b>	APEC1621A: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of LOXO-101 (Larotrectinib) in Patients with Tumors Harboring Actionable NTRK Fusions <a href="https://clinicaltrials.gov/ct2/show/NCT03213704">https://clinicaltrials.gov/ct2/show/NCT03213704</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621B<sup>REQ</sup></b>	APEC1621B: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of JNJ-42756493 (Erdafitinib) in Patients with Relapsed Pediatric Solid Tumors Harboring FGFR1/2/3/4 Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03210714">https://clinicaltrials.gov/ct2/show/NCT03210714</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621C<sup>REQ</sup></b>	APEC1621C: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) - Phase 2 Subprotocol of Tazemetostat in Patients with Tumors Harboring Alterations in EZH2 or Members of the SWI/SNF Complex <a href="https://clinicaltrials.gov/ct2/show/NCT03213665">https://clinicaltrials.gov/ct2/show/NCT03213665</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621D<sup>REQ</sup></b>	APEC1621D NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of LY3023414 in Patients with Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03213678">https://clinicaltrials.gov/ct2/show/NCT03213678</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621F<sup>REQ</sup></b>	APEC1621F NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Ensartinib in Patients with Tumors Harboring ALK or ROS1 Genomic Alterations <a href="https://clinicaltrials.gov/ct2/show/NCT03213652">https://clinicaltrials.gov/ct2/show/NCT03213652</a>	II	≥12 mo to ≤21 yr

<b>COG APEC1621G<sup>REQ</sup></b>	APEC1621G NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) – Phase 2 Subprotocol of Vemurafenib in Patients with Tumors Harboring Actionable BRAF V600 Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03220035">https://clinicaltrials.gov/ct2/show/NCT03220035</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621H<sup>REQ</sup></b>	APEC1621H NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Olaparib in Patients with Tumors Harboring Defects in DNA Damage Repair Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03233204">https://clinicaltrials.gov/ct2/show/NCT03233204</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621I<sup>REQ</sup></b>	APEC1621I NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of Palbociclib in Patients with Tumors Harboring Activating Alterations in Cell Cycle Genes <a href="https://clinicaltrials.gov/ct2/show/NCT03526250">https://clinicaltrials.gov/ct2/show/NCT03526250</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621J<sup>REQ</sup></b>	APEC1621J NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of BVD-523FB (Ulixertinib) in Patients with Tumors Harboring Activating MAPK Pathway Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT03698994">https://clinicaltrials.gov/ct2/show/NCT03698994</a>	II	≥12 mo to ≤21 yr
<b>COG APEC1621K<sup>REQ</sup></b>	APEC1621K NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice)—Phase 2 Subprotocol of AG-120 (Ivosidenib) in Patients with Tumors Harboring IDH1 Mutations <a href="https://clinicaltrials.gov/ct2/show/NCT04195555">https://clinicaltrials.gov/ct2/show/NCT04195555</a>	II	≥12 mo to ≤21 yr
<b>Ignya RXDX-101-03</b>	A Phase 1/1b, Open-Label, Dose-Escalation and Expansion Study of Entrectinib (RXDX-101) in Children and Adolescents with Recurrent or Refractory Solid Tumors and Primary CNS Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02650401">https://clinicaltrials.gov/ct2/show/NCT02650401</a>	I/Ib	≥2 to <22 yr
<b>LOXO-EXT-17005</b>	LOXO-EXT-17005: A Phase 1/2 Study of the TRK Inhibitor LOXO-195 in Adult and Pediatric Subjects with Previously Treated NTRK Fusion Cancers <a href="https://clinicaltrials.gov/ct2/show/NCT03215511">https://clinicaltrials.gov/ct2/show/NCT03215511</a>	I/II	≥1 mo
<b>AflacST1501</b>	Aflac ST1501, A Phase I Study of Abemaciclib in Children with Newly Diagnosed Diffuse Intrinsic Pontine Glioma and in Children with Recurrent and Refractory Solid Tumors Including Malignant Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02644460">https://clinicaltrials.gov/ct2/show/NCT02644460</a>	I	≥2 to ≤25 yr
<b>PBTC-045</b>	PBTC-045: A Safety and Preliminary Efficacy trial of MK-3475 (pembrolizumab; anti-PD-1) in Children with Recurrent, Progressive or Refractory Diffuse Intrinsic Pontine Glioma (DIPG), Non-brainstem High-grade Gliomas (NB-HGG), Ependymoma, Medullo-blastoma and Hypermutated Brain Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT02359565">https://clinicaltrials.gov/ct2/show/NCT02359565</a>	I	≥1 to ≤18 yr

<b>COG ADVL1615</b>	ADVL1615, A Phase 1 Study of Pevonedistat (MLN4924 IND# 136078), a NEDD8 Activating Enzyme (NAE) Inhibitor, in Combination with Temozolomide and Irinotecan in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03323034">https://clinicaltrials.gov/ct2/show/NCT03323034</a>	I	Part A1: >12 mo to ≤21 yr Part A2: ≥6 mo to <12 mo
<b>COG ADVL1921</b>	Phase 1 Study to Evaluate the Safety and Pharmacokinetics of Palbociclib (Ibrance®) in Combination with Irinotecan and Temozolomide in Pediatric Patients with Recurrent or Refractory Solid Tumors <a href="https://clinicaltrials.gov/ct2/show/NCT03709680">https://clinicaltrials.gov/ct2/show/NCT03709680</a>	I	≥2 to <21 yr
<b>EZH-102</b>	A Phase I Study of the EZH2 Inhibitor Tazemetostat in Pediatric Subjects with Relapsed or Refractory INI1-Negative Tumors or Synovial Sarcoma	I	≥6 mo to ≤21 yr
<b>PBTC-051</b>	Phase I Study to Evaluate the Safety and Tolerability of the CD40 Agonistic Monoclonal Antibody APX005M in Pediatric Subjects with Recurrent/ Refractory Brain Tumors and Newly Diagnosed Brain Stem Glioma <a href="https://clinicaltrials.gov/ct2/show/NCT03389802">https://clinicaltrials.gov/ct2/show/NCT03389802</a>	I	≥1 to ≤21 yr

#### Other brain tumor supportive treatment and non-therapeutic protocols

Study	Clinical trial name	Phase/type	Age
<b>AflacPM1702</b>	Aflac Precision Medicine Program (APMP) Study	Non-therapeutic	<30 yr
<b>COG APEC14B1</b>	APEC14B1: The Project:Everychild Protocol: A Registry, Eligibility Screening, Biology and Outcome Study <a href="https://clinicaltrials.gov/ct2/show/NCT02402244">https://clinicaltrials.gov/ct2/show/NCT02402244</a>	Non-therapeutic	≤25 yr
<b>APEC1621SC</b>	APEC1621SC: NCI-COG Pediatric MATCH (Molecular Analysis for Therapy Choice) Screening Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT03155620">https://clinicaltrials.gov/ct2/show/NCT03155620</a>	NA	≥12 mo to ≤21 yr
<b>COG ALTE03N1</b>	Key Adverse Events after Childhood Cancer (cardiac, stroke, secondary malignancy) closed to AVN patients as of 11-26-08 <a href="https://clinicaltrials.gov/ct2/show/NCT00082745">https://clinicaltrials.gov/ct2/show/NCT00082745</a>	Non-therapeutic	≤21 yr at dx
<b>COG ALTE05N1</b>	Umbrella Long-Term Follow-Up Protocol <a href="https://clinicaltrials.gov/ct2/show/NCT00736749">https://clinicaltrials.gov/ct2/show/NCT00736749</a>	Non-therapeutic	All ages
<b>QOL Targeted Tx Brain Tumors</b>	Health-related Quality of Life Outcomes during Molecularly Targeted Therapy for the Treatment of High Risk Pediatric Brain Tumors	Non-therapeutic	≤21 yr
<b>Telehealth Home-based Transition</b>	Development and Pilot of a Telehealth Home-based Transition Intervention for Pediatric and Young Adults with Cancer	Non-therapeutic	≤29 yr