

IP Rehab CIRU ICD-10 documentation

Seven key impacts to ICD-10 documentation

1. Disease or disorder site
2. Acuity and/or encounter status of treatment
3. Etiology, causative agent, or disease type and injury/
poisoning cause, intent, activity at the time of the event
and place event occurred
4. Underlying and associated conditions
5. Manifestations
6. Complications or adverse events
7. Supporting info such as lab values or socioeconomic key
impacts to ICD-10 documentation

Most commonly used diagnoses

ICD-9 Name	ICD-9 Code	ICD-10 Code	ICD-10 Name	Documentation tips
Abnormal involuntary movements	781.0	R25.0	Abnormal head movements	Abnormal Involuntary Movements Identify condition as: <ul style="list-style-type: none"> • Abnormal head movement • Cramp/spasm • Fasciculation • Tremor • Other and unspecified abnormal involuntary movement
		R25.1	Tremor, unspecified	
		R25.2	Cramp and spasm	
		R25.3	Fasciculation	
		R25.8	Other abnormal involuntary movements	
Abnormality of gait	781.2	R26.0	Ataxic gait	Abnormality of gait Identify condition as: <ul style="list-style-type: none"> • Ataxic gait • Paralytic gait • Unsteadiness on feet • Other or unspecified abnormalities of gait and mobility
		R26.1	Paralytic gait	
		R26.81	Unsteadiness on feet	
		R26.89	Other abnormalities of gait and mobility	
		R26.9	Unspecified abnormalities of gait and mobility	
Acute respiratory failure	518.81	J96.00	Acute respiratory failure, unspecified whether with hypoxia or hypercapnia	Respiratory Failure <ul style="list-style-type: none"> • Specify acuity (acute, chronic, acute and chronic) • Differentiate respiratory failure from respiratory distress syndrome, respiratory arrest and post-procedural respiratory failure • Detail if hypoxia or hypercapnia accompany respiratory failure • List any related smoke exposure (e.g. second hand)
		J96.01	Acute respiratory failure with hypoxia	
		J96.02	Acute respiratory failure with hypercapnia	
		J96.90	Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia	
		J96.91	Respiratory failure, unspecified with hypoxia	
		J96.92	Respiratory failure, unspecified with hypercapnia	



ICD-9 Name	ICD-9 Code	ICD-10 Code	ICD-10 Name	Documentation tips
Altered mental status	780.97	R41.0	Disorientation, unspecified	Refer to 7 key impacts of ICD-10 Documentation
		R41.82	Altered mental status, unspecified	
Anomalies of cerebrovascular system, congenital	747.81	Q28.2	Arteriovenous malformation of cerebral vessels	
		Q28.3	Other malformations of cerebral vessels	
Aphasia	784.3	R47.01	Aphasia	
Debility, unspecified	799.3	R53.81	Other malaise	
Dysarthria as late effect of cerebrovascular disease	438.13	I69.022	Dysarthria following nontraumatic subarachnoid hemorrhage	
		I69.122	Dysarthria following nontraumatic intracerebral hemorrhage	
		I69.222	Dysarthria following other nontraumatic intracranial hemorrhage	
		I69.322	Dysarthria following cerebral infarction	
		I69.822	Dysarthria following other cerebrovascular disease	
Dysphagia, unspecified	787.20	R13.0	Aphagia	
		R13.10	Dysphagia, unspecified	
Encephalopathy, unspecified	348.30	G93.40	Encephalopathy, unspecified	
Hemiplegia, unspecified, affecting unspecified side	342.90	G81.90	Hemiplegia, unspecified affecting unspecified side	Paresis <ul style="list-style-type: none"> • Specify the site or type (e.g., congenital, psychogenic, bladder, bowel, eye, etc.). • State the laterality when applicable (i.e., right, left, or bilateral). • Identify dominant versus non-dominant side when applicable. • Differentiate between flaccid and spastic hemiplegia. • Report the underlying cause (e.g., status post-stroke). • Detail paraplegia and quadriplegia as being incomplete or complete
		G81.91	Hemiplegia, unspecified affecting right dominant side	
		G81.92	Hemiplegia, unspecified affecting left dominant side	
		G81.93	Hemiplegia, unspecified affecting right nondominant side	
Hypoxic-ischemic encephalopathy, unspecified	768.70	P91.60	Hypoxic ischemic encephalopathy [HIE], unspecified	Refer to 7 key impacts of ICD-10 Documentation
		R27.0	Ataxia, unspecified	
Lack of coordination	781.3	R27.8	Other lack of coordination	
		R27.9	Unspecified lack of coordination	

ICD-9 Name	ICD-9 Code	ICD-10 Code	ICD-10 Name	Documentation tips
Malignant neoplasm of brain, unspecified	191.9	C71.9	Malignant neoplasm of brain, unspecified	Malignant neoplasm of brain <ul style="list-style-type: none"> • Identify the site • State the morphology (e.g. malignant, primary/secondary) • Indicate the stage and any metastatic site • List any related exposure to smoke (second hand smoke) • Detail when presented for treatment related to neoplasm (e.g. chemotherapy)
Unspecified causes of encephalitis, myelitis, and encephalomyelitis	323.9	G04.90	Encephalitis and encephalomyelitis, unspecified	Refer to 7 key impacts of ICD-10 Documentation
		G04.91	Myelitis, unspecified	
		G37.4	Subacute necrotizing myelitis of central nervous system	

The ICD-10 Provider Specialty Tool Kit is meant to assist providers with documentation best practices necessary for the transition from ICD-9-CM to ICD-10-CM. This tool kit includes the most commonly used diagnoses for a specialty using 2012 claims data for top encounters and top number of dollars per diagnosis. The tool kit can be used as a quick reference guide for providers and can also be shared with Practice Managers. This tool kit is not meant to be a coding cross walk and therefore should not be used as such. Questions regarding this tool kit and/or ICD-10 should be submitted via email to ICD10@choa.org.