

# Speech Therapy ICD-10 documentation

## Seven key impacts to ICD-10 documentation

1. Disease or disorder site
2. Acuity and/or encounter status of treatment
3. Etiology, causative agent, or disease type and injury/  
poisoning cause, intent, activity at the time of the event  
and place event occurred
4. Underlying and associated conditions
5. Manifestations
6. Complications or adverse events
7. Supporting info such as lab values or socioeconomic key  
impacts to ICD-10 documentation

## Most commonly used diagnoses

ICD-9 Name	ICD-9 Code	ICD-10 Code	ICD-10 Name	Documentation tips
Alexia and dyslexia	<b>784.61</b>	<b>R48.0</b>	Dyslexia and alexia	<b>Refer to 7 key impacts of ICD-10 Documentation</b>
Aphasia	<b>784.3</b>	<b>R47.01</b>	Aphasia	
Autistic disorder, current or active state	<b>299.00</b>	<b>F84.0</b>	Autistic disorder	
Childhood onset fluency disorder	<b>315.35</b>	<b>F80.81</b>	Childhood onset fluency disorder	
Delayed milestones	<b>783.42</b>	<b>R62.0</b>	Delayed milestone in childhood	
Down's syndrome	<b>758.0</b>	<b>Q90.0</b>	Trisomy 21, nonmosaicism (meiotic nondisjunction)	
		<b>Q90.1</b>	Trisomy 21, mosaicism (mitotic nondisjunction)	
		<b>Q90.2</b>	Trisomy 21, translocation	
		<b>Q90.9</b>	Down syndrome, unspecified	
Dysarthria	<b>784.51</b>	<b>R47.1</b>	Dysarthria and anarthria	<b>Refer to 7 key impacts of ICD-10 Documentation</b>
Dysphagia, oral phase	<b>787.21</b>	<b>R13.11</b>	Dysphagia, oral phase	
Dysphagia, oropharyngeal phase	<b>787.22</b>	<b>R13.12</b>	Dysphagia, oropharyngeal phase	
Dysphagia, pharyngeal phase	<b>787.23</b>	<b>R13.13</b>	Dysphagia, pharyngeal phase	
Dysphagia, unspecified	<b>787.20</b>	<b>R13.0</b>	Aphagia	
		<b>R13.10</b>	Dysphagia, unspecified	



ICD-9 Name	ICD-9 Code	ICD-10 Code	ICD-10 Name	Documentation tips
Expressive language disorder	<b>315.31</b>	<b>F80.1</b>	Expressive language disorder	
Feeding difficulties and mismanagement	<b>783.3</b>	<b>R63.3</b>	Feeding difficulties	
Infantile cerebral palsy, unspecified	<b>343.9</b>	<b>G80.9</b>	Cerebral palsy, unspecified	
Mixed receptive-expressive language disorder	<b>315.32</b>	<b>F80.2</b>	Mixed receptive-expressive language disorder	
		<b>H93.25</b>	Central auditory processing disorder	
Other developmental speech disorder	<b>315.39</b>	<b>F80.0</b>	Phonological disorder	
		<b>F80.89</b>	Other developmental disorders of speech and language	
		<b>F80.9</b>	Developmental disorder of speech and language, unspecified	
Other speech disturbance	<b>784.59</b>	<b>R47.02</b>	Dysphasia	
		<b>R47.81</b>	Slurred speech	
		<b>R47.89</b>	Other speech disturbances	
		<b>R47.9</b>	Unspecified speech disturbances	
Other symbolic dysfunction	<b>784.69</b>	<b>R48.1</b>	Agnosia	
		<b>R48.2</b>	Apraxia	
		<b>R48.8</b>	Other symbolic dysfunctions	
Speech and language developmental delay due to hearing loss	<b>315.34</b>	<b>F80.4</b>	Speech and language development delay due to hearing loss	
Symbolic dysfunction, unspecified	<b>784.60</b>	<b>R48.9</b>	Unspecified symbolic dysfunctions	

The ICD-10 Provider Specialty Tool Kit is meant to assist providers with documentation best practices necessary for the transition from ICD-9-CM to ICD-10-CM. This tool kit includes the most commonly used diagnoses for a specialty using 2012 claims data for top encounters and top number of dollars per diagnosis. The tool kit can be used as a quick reference guide for providers and can also be shared with Practice Managers. This tool kit is not meant to be a coding cross walk and therefore should not be used as such. Questions regarding this tool kit and/or ICD-10 should be submitted via email to ICD10@choa.org.